


ADULT PRISONS & JAILS



<b>Auditor Information</b>			
Auditor name:			
Address:			
Email:			
Telephone number:			
Date of facility visit:			
<b>Facility Information</b>			
Facility name:			
Facility physical address:			
Facility mailing address: <i>(if different from above)</i>			
Facility telephone number:			
The facility is:	<input type="checkbox"/> Federal	<input type="checkbox"/> State	<input type="checkbox"/> County
	<input type="checkbox"/> Military	<input type="checkbox"/> Municipal	<input type="checkbox"/> Private for profit
	<input type="checkbox"/> Private not for profit		
Facility type:	<input type="checkbox"/> Prison	<input type="checkbox"/> Jail	
Name of facility's Chief Executive Officer:			
Number of staff assigned to the facility in the last 12 months:			
Designed facility capacity:			
Current population of facility:			
Facility security levels/inmate custody levels:			
Age range of the population:			
Name of PREA Compliance Manager:		Title:	
Email address:		Telephone number:	
<b>Agency Information</b>			
Name of agency:			
Governing authority or parent agency: <i>(if applicable)</i>			
Physical address:			
Mailing address: <i>(if different from above)</i>			
Telephone number:			
<b>Agency Chief Executive Officer</b>			
Name:		Title:	
Email address:		Telephone number:	
<b>Agency-Wide PREA Coordinator</b>			
Name:		Title:	
Email address:		Telephone number:	

## AUDIT FINDINGS

### NARRATIVE

## DESCRIPTION OF FACILITY CHARACTERISTICS

## SUMMARY OF AUDIT FINDINGS

Number of standards exceeded:

Number of standards met:

Number of standards not met:

Number of standards not applicable:

**Standard 115.11 Zero tolerance of sexual abuse and sexual harassment; PREA Coordinator**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.12 Contracting with other entities for the confinement of inmates**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.13 Supervision and monitoring**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.14 Youthful inmates**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.15 Limits to cross-gender viewing and searches**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.16 Inmates with disabilities and inmates who are limited English proficient**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.17 Hiring and promotion decisions**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.18 Upgrades to facilities and technologies**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.21 Evidence protocol and forensic medical examinations**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.22 Policies to ensure referrals of allegations for investigations**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.31 Employee training**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.32 Volunteer and contractor training**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.33 Inmate education**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.34 Specialized training: Investigations**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.35 Specialized training: Medical and mental health care**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.41 Screening for risk of victimization and abusiveness**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

#### **Standard 115.42 Use of screening information**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

#### **Standard 115.43 Protective custody**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.51 Inmate reporting**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.52 Exhaustion of administrative remedies**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.53 Inmate access to outside confidential support services**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.54 Third-party reporting**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.61 Staff and agency reporting duties**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.62 Agency protection duties**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.63 Reporting to other confinement facilities**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.64 Staff first responder duties**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.65 Coordinated response**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.66 Preservation of ability to protect inmates from contact with abusers**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.67 Agency protection against retaliation**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.68 Post-allegation protective custody**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.71 Criminal and administrative agency investigations**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.72 Evidentiary standard for administrative investigations**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.73 Reporting to inmates**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.76 Disciplinary sanctions for staff**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.77 Corrective action for contractors and volunteers**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.78 Disciplinary sanctions for inmates**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.81 Medical and mental health screenings; history of sexual abuse**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.82 Access to emergency medical and mental health services**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.83 Ongoing medical and mental health care for sexual abuse victims and abusers**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.86 Sexual abuse incident reviews**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.87 Data collection**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

### **Standard 115.88 Data review for corrective action**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor's analysis and reasoning, and the auditor's conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**Standard 115.89 Data storage, publication, and destruction**

- Exceeds Standard (substantially exceeds requirement of standard)
- Meets Standard (substantial compliance; complies in all material ways with the standard for the relevant review period)
- Does Not Meet Standard (requires corrective action)

**Auditor discussion, including the evidence relied upon in making the compliance or non-compliance determination, the auditor’s analysis and reasoning, and the auditor’s conclusions. This discussion must also include corrective action recommendations where the facility does not meet standard. These recommendations must be included in the Final Report, accompanied by information on specific corrective actions taken by the facility.**

**AUDITOR CERTIFICATION**

I certify that:

- The contents of this report are accurate to the best of my knowledge.
- No conflict of interest exists with respect to my ability to conduct an audit of the agency under review, and
- I have not included in the final report any personally identifiable information (PII) about any inmate or staff member, except where the names of administrative personnel are specifically requested in the report template.

---

Auditor Signature

---

Date